

Skin in the Game: An Obstetrician's Guide to Dermatology

Eric H. Dellinger, MD USCSOM-Greenville Greenville, SC






Artist: Kehinde Wiley

Dermatology Made Easy

- Repetition
- If it's dry, wet it
- If it's wet, dry it
- Apply topical steroids
- Rx oral steroids
- If at all possible, perform an excisional biopsy

Goals





Dermatology of pregnancy effects

Conditions affecting pregnancy

Conditions in Obstetrics and Gynecology


Pregnancy: Skin Changes






Melasma

- Mask of pregnancy
- Common in pregnant women, women taking OCPs, and women taking HRT
- Tretinoin cream containing hydroquinone may be helpful in fading some types of melasma
- Chemical peels or topical steroid creams useful
- In severe cases, laser treatments can be used
- Sun avoidance and daily sunscreen use are key to avoiding melasma



Striae Gravidarum



Striae Gravidarum



60% develop SG.

Women who develop SG are younger (26.5 vs 30.5; P < .001).

They gain significantly more weight during pregnancy (15.6 vs 38.4 kg; P < .001).

No effective treatment.

Am J Obstet Gynecol. 2007 January; 196(1).


Acne







Spider Naevus







Pyogenic granuloma.....is neither

Pyogenic Granuloma

- More accurately: lobular capillary hemangioma
- Exact cause unclear
 - Minor trauma
 - Infection
 - Imbalance of angiogenic factors
 - Preexisting vascular anomalies
- Treatment
 - Complete excision
 - Shave excision and electrocautery for cosmetic areas



Diseases Impacting Pregnancy














Pregnancy and Lupus

- Fetal growth restriction
- Increased fetal loss
- Worsening of SLE
- Neonatal SLE
- Preterm delivery
- Fetal heart block













Fifth Disease

Measles (rubeola) "first disease" measles virus


Scarlet fever "second disease" Streptococcus pyogenes

Rubella "third disease" rubella virus

(disputed) "fourth disease" Staphylococcus aureus


Erythema infectiosum "fifth disease" parvovirus B19

Roseola infantum "sixth disease" HHV-6 and HHV-7












Dew Drop on a rose petal = ?



Varicella




Varicella Zoster Virus







Looks painful, but it isn't! What is it?























Congenital Syphilis—Reported Cases Among Infants by Year of Birth and Rates of Primary and Secondary Syphilis Among Women, United States, 2002—2011



^{*} CS=congenital syphilis; P&S=primary and secondary syphilis.




GONORRHEA Making it burn when you pee





























Dermatologic Conditions in Obstetrics and Gynecology



PPPPP

- ♦ What has more P's than PUPPP?
- ♦ The 5 Ps of lichen planus:
 - planar
 - polygonal
 - pruritic
 - b purple
 - papular





Pityriasis Rosea




















Candida albicans



Acanthosis Nigricans

- Dark, thick, velvety skin in body folds and creases
- Obesity is a common cause
- Found with obesity-related insulin resistance (HAIR-AN)
- Seen with human growth hormone and birth control pills
- Lymphoma or cancers of the gastrointestinal or genitourinary tracts

Drug Eruptions





Drug Eruptions

Fixed Drug Eruptions

Trimethoprim-sulphamethoxazole Tetracycline

Paracetamol Aspirin

Exanthems

Ampicillin and Penicillin

Phenylbutazone
Sulphonamides
Phenytoin
Carbamazepine
Gold
Gentamycin







Erythema Multiforme



Medications include:

Barbiturates

Penicillins

Phenytoin

Sulfonamides

Infections include:

Herpes simplex

Mycoplasma



Herpes Zoster





Herpes Zoster

- Keep the rash covered, wash hands often
- Until your rash has developed crusts, avoid contact with
 - Pregnant women who have never had chickenpox or the varicella vaccine
 - Premature infants
 - Immunocompromised persons
- Acyclovir, valacyclovir, and famciclovir—will help shorten the length and severity of the illness. But to be effective, they must be started as soon as possible after the rash appears. May prevent post-herpetic neuralgia.
- ODC recommends vaccination in people 50 years old and older to prevent shingles. There is no maximum age for getting the shingles vaccine.







Ringworm "Tinea"



Tinea corporis











Which state?





Lyme Disease









Scabies

